


VIVOSUN



Electric Mini Dehumidifier

USER MANUAL

Love
what
you
grow™

Welcome to **VIVOSUN**

Thank you for choosing VIVOSUN. We are committed to product quality and friendly customer service. If you have any questions or suggestions, please don't hesitate to contact us.

CONTENTS

Safety Instructions	1
Features	2
Specifications	2
Connection and Set Up	3
Reminders	4
Control Panel	5
Removable Water Tank	5
Cleaning the Water Tank	6
Cleaning the Dehumidifier	6
Cautions	6

SAFETY INSTRUCTIONS

1. Check the voltage indicated on the rating plate. This tool is designed for a 100-120V power supply.
2. Place the appliance on a flat surface and make sure the dehumidifier is not positioned in direct sunlight.
3. Do not place any objects close to the unit (4" clearance from sides and back is recommended).
4. Do not put your fingers or any other objects in the back of the appliance.
5. Do not use the appliance if the power cord or plug is damaged.
6. Check the power cord of this appliance regularly. A damaged cord must be replaced by the manufacturer, a service center, or a qualified professional to prevent personal injury and property damage.
7. Do not tightly wind or bundle the power cord. It might overheat. It may over-heat. This appliance is for indoor household use only.
8. Do not use this appliance outdoors.
9. Highly volatile and flammable materials such as ether, gasoline, propane gas, adhesive agents and pure alcohol, etc. may explode. Do not store them inside this appliance.
10. Do not immerse the unit, power cord or plug in water.
11. Do not spray water directly on the exterior or interior of the product. This may cause rusting and deterioration of the electrical insulation.
12. Unplug the power cord before cleaning or after each use.
13. Do not use sharp objects such as knives, screwdrivers, scissors, etc. to scrape or clean the unit.
14. Do not place heavy or fragile objects on top of the appliance.
15. This appliance may be used by children 8 years of age or older and by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge, provided they have been given supervision or instruction concerning the use of the appliance in a safe way and understand the hazards involved.
16. Do not allow children to play with the appliance. Do not allow children to clean or service the appliance without supervision.

FEATURES

The mini dehumidifier uses Peltier technology (no compressor), which makes it light and quiet. It is perfect for small spaces. Poor ventilation causes musty odor and mold in closets, larders, cabinets and storage rooms, but this mini dehumidifier eliminates this problem by keeping them free of unwanted moisture.

1. To avoid electric shock, do not open. There are no user serviceable parts inside.
2. Specifications are subject to change for improvement without prior notice.

SPECIFICATIONS

1. Dehumidification capacity:
Approximately 600ml-700ml per day when the room temperature is 30°C, and 85% relative humidity
2. Cooling element:
Thermo-electric Peltier module
3. Fan:
120mm*120mm long-life DC brushless motor
4. Voltage and Power: .
Input: AC 100-120V, 50/60Hz, 90W
5. Removable water tank:
2200ml
6. Water level indicator:
Red LED indicator turns on when water tank is full
7. Automatic stop when water tank is full:
Yes.
8. Automatic defrost:
Yes.

SPECIFICATIONS

- 9. Time setting:
Yes.
- 10. Temperature and humidity LED indicator:
Yes.
- 11. Air purifying function:
Yes.
- 12. Detachable water tank cover:
Yes, for easy cleaning.
- 13. Best working environment:
Temperature: 25°C-30°C, Humidity: Above 85% relative humidity.

CONNECTION AND SET UP

It is important to ensure that the water tank is correctly positioned in the appliance and that it is not full of water. If the "tank full" red indicator light illuminates when the appliance is first plugged in, slide the water tank out slightly and push it back into the correct position.

- 1. To start to using your dehumidifier, first place the dehumidifier on a level surface and connect the AC input plug to the appropriate power outlet. Then, press the "ON/OFF" button on the front face of the dehumidifier. The "ON/OFF" LED will light and the mini dehumidifier will start working. Listen and feel for the air coming out of the top side vent. Touch the "ON/OFF" button again and the dehumidifier will turn off.

CONNECTION AND SET UP


2. To use the air purifying function, first turn on the dehumidifier as you did in the first step. Next, touch the "Air Purifying" button. The "Air Purifying" LED will illuminate and the green light on the top of the device will turn on and the purifier will begin operating. To stop the purifying function, touch the "Air Purifying" button again.
3. To set the time, press the "Time Setting" button while the dehumidifier is running. You can set the time from 1 hour to 24 hours. Once you have set the time, the dehumidifier will turn off automatically.
4. The dehumidifier has an automatic defrost function, so there is no need to defrost manually.
5. The display window will show "Temperature", "Humidity", and "Timer" (if set) in rotation.

The dehumidifier has an auto-stop function. When the water tank is full, the dehumidifier will automatically stop and the red LED on the front of the dehumidifier will turn on.

REMINDERS

1. When the ambient humidity falls below 60%, the dehumidification dehumidifier will not be as powerful to ensure that the room from becoming too dry without wasting energy. This is normal and the unit is not defective.
2. When the ambient humidity falls below 15°C, or the relative humidity falls below 40%, the unit will almost stop extracting moisture from the air. This is normal and the unit is not defective.

CONTROL PANEL



REMOVABLE WATER TANK

When the water tank is almost full, the unit will automatically turn off and the red "Water Tank Full" LED will illuminate. To remove the water tank, first turn off the dehumidifier, then remove the water tank from the unit and empty the water. Place the water tank back in the unit. To resume dehumidification, press the "ON/OFF" button again.

CLEANING THE WATER TANK

Important: The water tank cover can be removed for cleaning only (the transparent and opaque water tank covers can be separated). First, turn off and unplug the dehumidifier before removing the water tank. Pour out the water, remove the opaque water tank cover from the transparent water tank, and then clean the inside of the tank. After cleaning, replace the opaque cover on the transparent water tank.

CLEANING THE DEHUMIDIFIER

Before cleaning the unit, turn off the mini dehumidifier and unplug the power cord. Use a soft cloth to clean the surface of the unit and a soft bristle brush to remove dust from the rear air intake grille and top outlet grill.

CAUTIONS

1. After having finished using the dehumidifier, the user should turn off the unit and unplug it.
2. Avoid using the wire in wet or damp areas and place it in areas with good ventilation.
3. Keep the top outlet grill and the rear air inlet grill clear at all times. Do not cover them with clothing, bags, or other material that may interfere with the operation of the unit.
4. Always keep the unit in an upright position to prevent water leakage.

Designed by **VIVOSUN** in California.
Made in China