


VIVOSUN

Designed by **VIVOSUN** in California.
Made in China.



Mini Dehumidifier

USER MANUAL

Love
what
you
grow™

Welcome to **VIVOSUN**


Thank you for choosing VIVOSUN. We are committed to product quality and friendly customer service. If you have any questions or suggestions, please don't hesitate to contact us.

CONTENTS

Features	1
Specifications	2
Power On	2
Removing the Water Tank	2
Cleaning	3
Warning	3

FEATURES

This is a peltier dehumidifier (no compressor), which is lightweight and quiet. It is perfect for small rooms and poorly ventilated areas such as wardrobes, cabinets and storage rooms that are susceptible to damp odors and mold. It will help remove the unwanted moisture from the air.



Part	Part Name
1	On/Off Button
2	"On" Green LED
3	"Full" Yellow LED
4	Air Inlet
5	Removable Water Tank
6	Dry Air Outlet
7	DC Power Socket
8	Rubber Feet
9	DC Power Adapter
10	DC Power Jack
11	AC Connector
12	Water Displacement Hole
13	Water Tank
14	Hydraulic Cut-off

SPECIFICATIONS

Model No.: XROW-600B

Size: 156 x 130 x 220mm

Input: DC9V 2.5A

Power: 21W

Volume: 500ml

Working Capacity: 250ml/D (30°C/86°F, RH80%)

Applicable Ambient Temperature: 10-50°C (50-122°F)

Coverage Area: < 15m²

POWER ON

1. Connect the power adapter to the dehumidifier and to the wall outlet.
2. Turn on the dehumidifier with ON/OFF switch. The GREEN LED will light up, and you will feel a light breeze blowing out of the dry air outlet.
3. To turn off the dehumidifier, press the ON/OFF switch again.

REMOVING THE WATER TANK

The water tank has a maximum capacity of 500ml. When the tank is full, the YELLOW LED will light and the unit will automatically turn off. Turn off the dehumidifier when the water tank is full, pull out the water tank first, then pull out the rubber plug on the water displacement hole (12), empty the water from this hole. Put the rubber plug back in and finally turn the water tank back on before turning on the machine.

CLEANING

Ensure the dehumidifier is OFF and unplugged from the wall outlet and use a soft cloth to clean away any dust or debris from the surface of the appliance and air inlets.

WARNING

1. Ensure that the ON/OFF switch of the dehumidifier is in the OFF position when is not in use.
2. Do not place the power adapter in a wet or humid location and ensure it is kept in a well-ventilated area.
3. Keep the front air inlets and top air outlets unobstructed.
4. Always keep the dehumidifier in an upright position to prevent leaks.